

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in ETR, by sex and race/ethnicity, 2004**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	27	82	a	7	78	a	34	81	a
Black, not Hispanic	*	12	a	*	22	a	6	14	a
Hispanic	*	6	a	0	0	a	*	5	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	33	100	a	9	100	a	42	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in ETR, by sex and age at diagnosis, 2004**

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	*	3	0	0	*	2
13-14	0	0	0	0	0	0
15-24	*	9	0	0	*	7
25-34	5	15	*	44	9	21
35-44	17	52	*	44	21	50
45-54	7	21	0	0	7	17
55-64	0	0	*	11	*	2
>=65	0	0	0	0	0	0
Total	33	100	9	100	42	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in ETR, by sex and exposure category, 2004**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	16	48	a	a	16	38
Injection drug use (IDU)	6	18	4	44	10	24
Male-to-male sex and IDU	*	9	a	a	*	7
Heterosexual contact	*	9	*	33	6	14
Mother with/at risk for HIV	*	3	0	0	*	2
Other/unknown	*	12	*	22	6	14
Total	33	100	9	100	42	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in ETR, by race/ethnicity and exposure category, 2004**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	15	44	0	0	*	50	0	0	0	0	0	0	16	38
Injection drug use (IDU)	8	24	*	33	0	0	0	0	0	0	0	0	10	24
Male-to-male sex and IDU	*	9	0	0	0	0	0	0	0	0	0	0	*	7
Heterosexual contact	*	12	*	33	0	0	0	0	0	0	0	0	6	14
Mother with/at risk for HIV	0	0	0	0	*	50	0	0	0	0	0	0	*	2
Other/unknown	*	12	*	33	0	0	0	0	0	0	0	0	6	14
Total	34	100	6	100	*	100	0	0	0	0	0	0	42	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in ETR, by sex and tuberculosis comorbidity, 2004**

<b>Tuberculosis diagnosis</b>	<b>Males</b>		<b>Females</b>		<b>Total</b>	
	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>
Not diagnosed	33	100	9	100	42	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	33	100	9	100	42	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

## Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in ETR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	6	100	a	* 100	a	8	100	a	
Black, not Hispanic	0	0	a	0	0	a	0	0	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	6	100	a	* 100	a	8	100	a	

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in ETR, by year of diagnosis and sex**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	29	24	31	32	33	534
Females	10	8	6	*	9	100
Total	39	32	37	36	42	634

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in ETR, by year of diagnosis and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	34	28	33	31	34	549
Black, not Hispanic	*	*	*	*	6	67
Hispanic	*	0	*	*	*	17
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	39	32	37	36	42	634

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.



**Epi Profile**  
**HIV/AIDS cases among persons in ETR, by year of diagnosis and age at diagnosis**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	0	*	*	11
13-14	0	0	0	0	0	0
15-24	*	*	*	5	*	64
25-34	11	6	13	12	9	251
35-44	16	17	14	14	21	212
45-54	5	*	7	*	7	75
55-64	*	*	*	0	*	20
>=65	0	0	0	0	0	1
Total	39	32	37	36	42	634

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in ETR, by year of diagnosis and exposure category**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	18	13	21	22	16	354
Injection drug use (IDU)	*	5	*	*	10	81
Male-to-male sex and IDU	*	0	*	*	*	29
Heterosexual contact	10	8	7	*	6	93
Mother with/at risk for HIV	*	0	0	0	*	8
Other/unknown	6	6	*	6	6	69
Total	39	32	37	36	42	634

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**AIDS cases among persons in ETR, by year of diagnosis and sex**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	19	9	25	18	20	358
Females	*	7	*	*	5	55
Total	23	16	27	21	25	413

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in ETR, by year of diagnosis and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	20	14	26	17	22	360
Black, not Hispanic	*	*	*	*	*	44
Hispanic	*	0	0	*	*	8
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	23	16	27	21	25	413

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in ETR, by year of diagnosis and age at diagnosis**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	6
13-14	0	0	0	0	0	0
15-24	0	*	0	*	*	16
25-34	*	*	6	*	5	147
35-44	13	5	12	12	16	162
45-54	5	*	6	*	*	61
55-64	*	*	*	*	*	20
>=65	0	0	0	0	0	1
Total	23	16	27	21	25	413

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in ETR, by year of diagnosis and exposure category**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	9	5	17	14	10	236
Injection drug use (IDU)	5	*	*	*	9	57
Male-to-male sex and IDU	*	0	*	*	*	17
Heterosexual contact	*	6	*	*	*	53
Mother with/at risk for HIV	0	0	0	0	0	5
Other/unknown	5	*	5	*	0	45
Total	23	16	27	21	25	413

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in ETR, by year and sex**

	2000	2001	2002	2003	2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	250	270	289	306	333
Females	48	56	61	60	67
Total	298	326	350	366	400

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in ETR, by year and race/ethnicity**

	2000	2001	2002	2003	2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	259	284	307	322	348
Black, not Hispanic	28	31	30	31	37
Hispanic	10	10	12	12	14
Asian/Pacific Islander	*	*	*	*	*
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0
Total	298	326	350	366	400

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.



**Epi Profile**  
**Numbers of persons living with HIV/AIDS in ETR, by year and current age**

	2000	2001	2002	2003	2004
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	5
13-14	0	0	0	0	0
15-24	*	5	6	10	11
25-34	47	52	59	67	77
35-44	146	158	168	174	191
45-54	65	72	79	80	85
55-64	30	32	32	28	29
>=65	*	*	*	*	*
Total	298	326	350	366	400

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in ETR, by year and exposure category**

	2000	2001	2002	2003	2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	169	179	196	207	218
Injection drug use (IDU)	34	39	41	41	50
Male-to-male sex and IDU	11	11	12	14	17
Heterosexual contact	48	56	59	58	63
Mother with/at risk for HIV	5	5	5	5	6
Other/unknown	31	36	37	41	46
Total	298	326	350	366	400

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in ETR, by year of death and sex**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	11	*	12	15	6	201
Females	*	0	*	5	*	33
Total	14	*	13	20	8	234

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in ETR, by year of death and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	13	*	10	16	8	201
Black, not Hispanic	*	*	*	*	0	30
Hispanic	0	0	0	*	0	3
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	14	*	13	20	8	234

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in ETR, by year of death and age at death**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	3
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	4
25-34	*	0	*	*	*	76
35-44	*	*	6	10	*	90
45-54	7	0	*	*	*	43
55-64	*	*	*	*	0	14
>=65	0	0	*	0	*	4
Total	14	*	13	20	8	234

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in ETR, by year of death and exposure category**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	*	11	5	136
Injection drug use (IDU)	*	0	*	*	*	31
Male-to-male sex and IDU	*	0	*	*	0	12
Heterosexual contact	*	0	*	*	*	30
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	*	*	*	*	23
Total	14	*	13	20	8	234

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.